General Index to Volume 151

^{40}Ar–^{39}Ar ages for Falkland Island dykes, 79–81
$^{40}Ar/^{39}Ar$ apparent age spectra, on Cadomian micas, E Alps, 591–8
$^{40}Ar/^{39}Ar$ geochronology of blueschist-eclogite facies, Oman, 570–1
$^{40}Ar/^{39}Ar$ mineral age NE Greenland, and tectonic evolution of N Atlantic Caledonides, 615–28
ABDEL RAHMAN, E.M., *see* SCHANDELMEIER, H.
ABDELSALAM, M.G., the Oko Shear Zone, Sudan: post-accretionary deformation in the Arabian–Nubian Shield, 767–76, figs
ABERCONWAY MEDAL presented to M. BUTLER, 578
ABLAY, G.J., *see* MARTI, J.
ABRAMS, M.J. & CHADWICK, O.H., tectonic and climatic implications of alluvial fan sequences along the Batinah coast, Oman, 51–8
accretionary complex basalts, Alexander Island, Antarctica, 65–78
accreted oceanic rocks, deformation mechanisms in, Alexander Island, Antarctica, 543–54
AGAR, S.M. , *see* FLINT, S.S.
AINSWORTH, R.B. & CROWLEY, S.F., wave-dominated nearshore sedimentation and 'forced' regression: post-abandonment facies, Great Limestone Cyclothem, Stainmore, UK, 681–95, figs
Aitutaki–Jarvis transect, S Pacific, element supply to manganese nodules, 391–401
——, ——, element supply to surface sediments and nodules, 403–12
ALABASTER, T., *see* DOUBLEDAY, P.A.
ALEKSANDROWSKI, P., on U–Pb ages from SW Poland: evidence for a Caledonian suture zone between Baltica and Gondwana [discussion of: OLIVER, CORFU & KROGH], 1049–55
ALLEN, J.R.L., a continuity-based sedimentological model for temperate-zone tidal salt marshes, 41–9, figs
ALLERTON, S., REICHERTER, K. & PLATT, J.P., a structural and palaeomagnetic study of a section through the eastern Subbetic, Southern Spain, 659–68, figs
alluvial fan sequences, Batinah, Oman, tectonic and climatic implications, 51–8
alluvial sediments, Triassic, hydrogeological model for early diagenesis 897–900
Alpine basement, Variscan evolution of, 755–66
Alps, E, Cadomian apparent age spectra of detrital muscovites, 591–8
——, S, Variscan evolution of, 755–66
AMEEN, M.S., fractography in geology [conference report], 889–90
ammonites, Mesozoic, history of classification, 1035–40
Anatolia, Turkey, incipient metamorphic core complex, 213–6
ANDERSON, T.F., POPP, B.N., WILLIAMS, A.C., HO, L.-Z. & HUDSON, J.D., the stable isotopic records of fossils from the Peterborough Member, Oxford Clay Formation (Jurassic), UK: palaeoenvironmental implications, 125–38, figs
Andes, Peru, dating of granitic rocks and evidence for Mesozoic and Cenozoic cooling, 473–83
——, rates of magmatic activity and continental crust formation, 845–54
Antarctic–Indian correlation, and Darling Mobile Belt, Australia, 903
Antarctica, deformation mechanisms in Mesozoic accreted oceanic rocks, 543–54
——, Grenville Province in, 1–4
——, proto-Pacific oceanic crust in Mesozoic accretionary complex, 65–78
——, sill emplacement in wet sediments, 777–94
Anthraconaia, used to correlate Norwegian and American Pennsylvanian, 669–80
Anthraconauta, and classification of non-marine bivalves, 1023–30
Appalachians, Newfoundland, structural evolution of Gander-Avalon terrane boundary, 629–46
Arabian–Nubian Shield, Sudan, deformation along Oko Shear Zone, 767–76,
arc, intra-oceanic, Fiji, volcanism and sedimentation in, 499–514
Archaean metamorphic events, W Greenland, correlation with Labrador, 421–4
ARDUS, D.A., *see* STOKER, M.S.
ARMSTRONG, H.A., *see* WILLIAMS, D.M.
ASHTON, N.M., BOWEN, D.Q., HOLMAN, J.A., HUNT, C.O., IRVING, B.G., KEMP, R.A., LEWIS, S.G., MCNABB, J., PARFITT, S. & SEDDON, M.B., excavations at the Lower Palaeolithic site at East Farm, Barnham, Suffolk 1989–92, 599–605, figs
Asker Group, Oslo Graben, correlated with Pennsylvanian of N America using non-marine bivalves, 669–80
Assynt, Scotland, carbonatite near Loch Borralan intrusion, 945–54
Atlantic, NE, $^{40}Ar/^{39}Ar$ mineral age and evolution of NE Greenland Caledonides, 615–28
——, ——, Cenozoic stratigraphical record, Hebrides Slope, 235–49
——, ——, compressional deformation at ocean-continent transition, 607–13
Australia, Darling Mobile Belt and Neoproterozoic assembly of Gondwanaland, 901–4
—— Reynolds Range, fluid flow and permeability in marbles, 583–6
——, ——, scapolite in greenschist-facies marbles, 803–12
Austria, Cadomian age for detrital muscovites in Carnic Alps, 591–8
Avalon Zone, Newfoundland, structural evolution of terrane boundary, 629–46
Avalonia, E, subsidence analysis and Iapetus closure, 647–57
Avon Valley Formation, Pleistocene, Warwickshire, fluvial deposits of, 226
Baginton Formation, Pleistocene, Warwickshire, fluvial deposits of, 223–5
Baranco Salada section, Subbetic, Spain, structural and palaeomagnetic study, 660–8
Barrovian metamorphism 'Older Granites' and Dalradian deformation, 5–8
BASAHAM, A.S., *see* CHESTER, R.
basalt petrography, of oceanic island basalts, accretionary complex, Alexander Island, Antarctica, 71
basalts, allochthonous, in Mesozoic accretionary complex, Alexander Island, Antarctica, 65–78
——, geochemistry of, N Ireland, 870–3
——, Sr isotope data, Tertiary, N Ireland, 869–77
basin development, Permo-Triassic, SW England, 588–9
basin filling, and tectonics, Cosmelli Basin, S Chile, 251–68
basin slope sedimentation and mass movement, Silurian, Welsh Borderland, 27–40
basin structure, and Tertiary magmatism, Skye, 931–44
basin subsidence analysis, E Avalonia, and Iapetus closure, 647–57
BATCHELOR, R.A. & JEPPSSON, L. Late Llandovery bentonites from

Gotland, Sweden, as chemostratigraphic markers, 741–6, figs
Batinah coast, Oman, alluvial fan sequences of, 51–8
BEARD, A.D., *see* MATTHEWS, S.J.
BEHR, H.-J. *see* KRYNAUW, J.R.
BELIN, S. & KENIG, F., petrographic analyses of organo-mineral relationships: depositional conditions of the Oxford Clay Formation (Jurassic), UK, 153–60, figs
Ben Vuirich Granite, Dalradian, Scotland, pre-D2 age, 209–12
——, pre-D2 age (discussion) 1045–8
bentonites, Llandovery, Sweden, as chemostratigraphic markers, 741–6
BERGERAT, F. & VANDYCKE, S., palaeostress analysis and geodynamical implications of Cretaceous-Tertiary faulting in Kent and the Boulonnais, 439–48, figs
BESLIER, M.-O., *see* MASSON, D.G.
Betic Cordillera, Spain, evidence for unroofing in foreland basin sediments, 515–29
BICKLE, M.J., *see* GIBSON, R.L.
biogeochemistry, isotopic of Oxford Clay Formation, UK, 139–52
biosedimentology of Pacific sediments, 377–90
bioturbation, in deep sea Pacific sediments, 361–75
Biscay margin, N Spain, Jurassic-Cretaceous correlation of continental sequences, 715–26
bivalves, non-marine, Carboniferous; classification of, 1023–34
——, ——, of Oslo Graben, correlation with Pennsylvanian of N America, 669–80
Blansky Lés granulite complex, Czech Republic, and dating of Variscan metamorphism, 83–90
blueschist–eclogite facies, Oman, structure and metamorphism, 555–76
Borralan intrusion, Assynt, Scotland, carbonatite near, 945–54
Boulonnais and Kent fault systems, geodynamics and palaeostress, 439–48
BOWEN, D.Q., *see* ASHTON, N.M.
BOZKURT, E. & PARK, R.G., southern Menderes Massif: an incipient metamorphic core complex in western Anatolia,Turkey [Special], 213–6, figs
BRIDEN, J.C., *see* STOKER, M.S.
Britain, SE tilt of, U Cretaceous, 905–8
Brixen, N Italy, Variscan structures in Alps, 758–9
BROOKS, M., MILIORIZOS, M. & HILLIER, B.V., deep structure of the Vale of Glamorgan, South Wales, UK, 909–17, figs
BROWN, P.R., *see* MARTILL, D.M.
BUICK, I.S. & CARTWRIGHT, I., Significance of early scapolite in greenschist-facies marbles from the Reynolds Range Group, central Australia, 803–12, figs
——, *see* CARTWRIGHT, I.
BUJAK, J. & MUDGE, D., a high-resolution North Sea Eocene dinocyst zonation, 449–62, figs
burrowing, in deep sea Pacific sediments, 361–75
BUTLER, R.W.H. & HUTTON, D.H.W., basin structure and Tertiary magmatism on Skye, NW Scotland, 931–44
Cadomian $^{40}Ar/^{39}Ar$ apparent age spectra, of detrital muscovites, E Alps, 591–8
Calabrian Arc, S Italy, fission-track analysis of sediments, 463–71
Calc-alkaline magmas, sulphur redox reactions in, 815–23
calc-alkaline magmatism, New Mexico, 825–43
calderas, studies of collapse of, 919–9
Caledonian melange, Ireland, implications for tectonic models, 307–14
Caledonian orogenic front, W of Shetland, deep seismic reflection structure, 9–16
Caledonian plutonism, and major lineaments, SW Scottish Highlands, 955–69
Caledonides, NE Greenland $^{40}Ar/^{39}Ar$ mineral age and tectonic evolution, 615–28
——, W Ireland, oroclinal bending in, 315–28
CAMERON, E.M., depletion of gold and LILE in the lower crust: Lewisian Complex, Scotland, 747–54, figs
Cameros Basin, N Spain, correlation of Mesozoic continental sequences, 715–26
Canigou massif, Pyrenees, thermobarometry of metamorphism, 987–98
Cantabrian Basin, N Spain, correlation of Mesozoic continental sequences, 715–26
canyons, submarine, in Silurian rocks, Welsh Borderland, 27–40
carbon and oxygen isotopic studies, Oxford Clay, 125–38
carbonate chemistry, diagenesis and fluids, Pisia Fault zone, Corinth, Greece, 531–41
carbonatite, Loch Borralan, Assynt, 945–54
carbonatite lapilli, hollow, Oldoinyo Lengai, Tanzania, 59–63
Carboniferous, U, N England, nearshore sedimentation and forced regression, 681–95
Carboniferous deformation, S Staffordshire, and Variscan evolution of Pennine Basin, 697–713
Carboniferous non-marine bivalves, classification of, systematics versus stratigraphy, 1023–34
Carnian Alps, Variscan evolution of, 760–1
Carnic Alps, Austria, Cadomian detrital muscovites in, 591–8
CARTWRIGHT, I. & BUICK, I.S., channelled fluid infiltration and variation in permeability in Reynolds Range marbles, Australia [Special], 583–6, figs
——, *see* BUICK, I.S.
CARTWRIGHT, J.A., *see* MASSON, D.G.
cathodoluminescence studies, of sill emplacement into wet sediments, Antarctica, 777–94
Cenozoic, Andes, magmatic activity and continental crust formation, 845–54
Cenozoic granites, Peru, fission-track dating and evidence for cooling, 473–83
Cenozoic stratigraphical record, Hebrides Slope, NE Atlantic, 235–49
Central Highland Dalradian, pre-D2 age of Ben Vuirich Granite of, 209–12
CHACKSFIELD, B.C., *see* PHILLIPS, E.R.
CHADWICK, O.H., *see* ABRAMS, M.J.
chemostratigraphy of Silurian bentonites, 741–6
Cheshire Basin, fault zone thickness and displacement in Permo-Triassic sandstones, 17–18
CHESTER, R., LIN, F.J. & BASAHAM, A.S., trace metal solid state speciation changes associated with the down-column fluxes of oceanic particles, 351–60, figs
Chile triple junction, relationship to Tertiary Cosmelli Basin, 251–68
Chukh Formation, Cretaceous, Nepal, sedimentation on Gondwanan margin, 273–6
CHURCH, A.A. & JONES, A.P., hollow natrocarbonatite lapilli from the 1992 eruption of Oldoinyo Lengai, Tanzania, 59–63, figs
CLARK, G.C., *see* PHILLIPS, E.R.
clay minerals, of Oxford Clay, 195–207
Clew Bay, W Ireland, late Caledonian melange, 307–14
CLIFT, P.D. & RYAN, P.D., geochemical evolution of an Ordovician island arc, South Mayo, Ireland, 329–42, figs
climate, sedimentation, stratigraphy, Cenozoic of Hebrides Slope, NE Atlantic, 235–49
climatic implications, of alluvial fan sequences, Oman, 51–8
coal basins, western USA, controls on coalbed methane production, 417–20
coalbed methane, 417–20
Coalbrookdale Formation, Silurian, Welsh Borderland, slope sedimentation, 30
Coats Land, Antarctica, Grenville Province, 1–4
COCKS, L.R.M. & MCKERROW, W.S., on a reassessment of the early Ordovician 'Celtic' brachiopod province [reply to discussion], 891–2

COKE (Major Edward D'Ewes Fitzgerald) MEDAL presented to M.E. TUCKER, 577
COKE (Major John Sacheverall A'Deane) MEDAL presented to G.J.H. MCCALL, 577
Coleoptera, M Pleistocene, Warwickshire, 229–31
compressional deformation, at ocean-continent transition, NE Atlantic, 607–13
COOPE, G.R., *see* MADDY, D.
COPE, J.C.W., a latest Cretaceous hotspot and the southeasterly tilt of Britain [Special], 905–8
copper, sequestered by oceanic particulates, 352–3
Corinth Gulf, Greece, uplift, deformation, fluids in normal fault zone, 531–41
Cornubian batholith, Nd and Sr isotope constraints on origin, 795–802
Cosmelli Basin, Chile, evolution of, and relationship to Chile triple junction, 251–68
Cretaceous, Nepal Himalayas, volcanism during Gondwanan breakup, 269–90
——, U, southeast tilt of Britain in, 905–8
Cretaceous–Tertiary faulting, Kent and Boulonnais, palaeostress and geodynamics, 439–48
crosscourse mineralization, SW England, timing and significance, 587–90
CROWLEY, S.F., *see* AINSWORTH, R.B.
CRONAN, D.S. & HODKINSON, R.A., element supply to surface manganese nodules along the Aitutaki–Jarvis Transect, South Pacific, 391–401, figs
——, & WAKEFIELD, S.J., pelagic fluxes and sedimentation [introduction], 349–50
——, *see* MILLER, S.
crust formation, Cenozoic, Andes, and rates of magmatic activity, 845–54
crustal growth, and orogenic igneous rocks, 855–68
Cumbria, fault zone thickness and displacement in Permo-Triassic sandstones, 18–19
Czech Republic, geochronology of Moldanubian granulites, Bohemia, 83–90
DALLMEYER, R.D. & NEUBAUER, F., Cadomian $^{40}Ar/^{39}Ar$ apparent age spectra of detrital muscovites from the Eastern Alps, 591–8, figs
——, STRACHAN, R.A. & HENRIKSEN, N., $^{40}Ar/^{39}Ar$ mineral age record in NE Greenland: implications for tectonic evolution of the North Atlantic Caledonides, 615–28, figs
Dalradian, Scotland, pre-D2 age for Ben Vuirich Granite, 209–12
Dalradian chronology, revised, 211–12
Dalradian deformation, relationship with timing of Barrovian metamorphism, 5–8
DARBYSHIRE, D.P.F. & SHEPHERD, T.J., Nd and Sr isotope constraints on the origin of the Cornubian batholith, SW England, 795–802, figs
——, *see* SCRIVENER, R.C.
Darling Mobile Belt, Australia, and Neoproterozoic assembly of Gondwanaland, 901–4
DAVIS, J. & HAWKESWORTH, C.J., early calc-alkaline magmatism in the Mogollon–Datil volcanic field, New Mexico, USA, 825–43, figs
deformation, compressional, at ocean–continent transition, NE Atlantic, 607–13
deformation mechanisms, in Mesozoic accreted oceanic rocks, Antarctica, 543–54
diachronous, hiatuses indicating oceanic water masses, 737–40
diagenesis, footwall uplift and fluids, in faults, Gulf of Corinth, Greece, 531–41
——, of Triassic sediments, hydrogeological model for, 897–900
dinocyst zonation, high-resolution, Eocene, N Sea, 449–62
dinoflagellate cyst zonation, of N Sea Eocene, 449–62
disconformities, indicators of fluctuating oceanic water masses, 737–40
DONOVAN, D.T., history of classification of Mesozoic ammonites, 1035–40
DOUBLEDAY, P.A. LEAT, P.T., ALABASTER, T., NELL, P.A.R. & TRANTER, T.H., allochthonous oceanic basalts within the Mesozoic accretionary complex of Alexander Island, Antarctica: remnants of proto-Pacific oceanic crust, 65–78, figs
——, ——, deformation mechanism paths for oceanic rocks during subduction and accretion: the Mesozoic forearc of Alexander Island, Antarctica, 543–544, figs
Dronning Maud Land, Antarctica, sill emplacement into wet sediments, 777–94
DUFF, K.L., *see* MARTILL, D.M.
DUNHAM, A.C., *see* NORRY, M.J.
dykes, Falkland Islands, ages and break-up of southern Gondwanaland, 79–81
EAGAR, R.M.C., on classification of Carboniferous non-marine bivalves: systematics versus stratigraphy [discussion of: VASEY], 1030–4
——, non-marine bivalve assemblage in the Asker Group, Oslo Graben and its correlation with a late Pennsylvanian assemblage from North America, 669–80, figs
ecology, of Peterborough Member, Oxford Clay, 173–94
EL-SHAZLY, A.K., WORTHING, M.A., JAYAWARDANE, J. & VARNE, R., geochemistry of metamorphosed mafic rocks from Saih Hatat: pre-obduction history of NE Oman, 999–1016
element fractionation during sedimentation, Peterborough Member, Oxford Clay Formation, 195–207
ELLAM, R.M., *see* WALLACE, J.M.
Elton Group, Silurian, Welsh Borderland, slope sedimentation, 31–5
England, N, Mesozoic cover from fission track data, 735–6
——, NW, fault zone thickness versus displacement in Permo-Triassic sandstones, 17–25
——, ——, Sm–Nd isotopes and provenance of Windermere Supergroup, 1017–21
ENGLAND, R.W., *see* MCBRIDE, J.H.
England, SW, isotopic constraints on origin of Cornubian batholith, 795–802
——, ——, timing and significance of crosscourse mineralization, 587–90
environment, and biogeochemistry, of Oxford Clay, 139–52
Eocene dinocyst zonation, N Sea, 449–62
erosional loss and sediment deposition, volume balance for Himalayan uplift, 217–20
europium anomalies, crustal, 857–8
EVANS, D., *see* STOKER, M.S.
EVANS, D.J., *et al.* on the Permian to Jurassic stratigraphy and structural evolution of the central Cheshire Basin [reply to discussion], 893–5
Falkland Island dykes, ages and break-up of southern Gondwanaland, 79–81
fault geometry, palaeostress and geodynamics, Cretaceous–Tertiary, Kent and Boulonnais, 439–48
fault kinematics, in Cheshire and Cumbrian basins, 20–25
fault systems, Boulonnais and Kent, palaeostress and geodynamics, 439–48
fault zone, Gulf of Corinth, Greece, uplift, deformation, fluids in normal fault zone, 531–41
fault zone thickness versus displacement, in Permo-Triassic sandstones, NW England, 17–25
faulting, and basin structure, Mesozoic, Skye, 935–7
FIALA, J., *see* WENDT, J.I.
Fiji, volcanism and sedimentation in Cenozoic intra-oceanic arc, 499–514

FINLEY, R.J., *see* KAISER, W.R.
fission-track analysis, Calabrian Arc, S Italy, 463–71
——, and Cretaceous uplift of SE Britain, 905–8
fission-track dating, of granitic rocks, Peru, evidence for Jurassic and Cenozoic cooling, 473–83
FLINT, S.S., PRIOR, D.J., AGAR, S.M. & TURNER, P., stratigraphic and structural evolution of the Tertiary Cosmelli Basin and its relationship to the Chile triple junction, 251–68, figs
FLOYD, J.D., *see* STONE, P.
fluid flow and permeability, in marbles, Reynolds Range, Australia, 583–6
fluid inclusion studies, of sill emplacement into wet sediments, Antarctica, 777–94
fluid inclusions, and timing of mineralization, SW England, 587–90
fluvial deposits, M Pleistocene, Warwickshire, 221–33
fluxes, of oceanic particulates and trace metal speciation, 351–60
food webs, and trophic structure, in Peterborough Member, Oxford Clay, 173–94
forearc, Mesozoic, Antarctica, deformation mechanisms in, 543–54
foreland basin sediments, Spain, evidence for unroofing of Betic Cordillera, 515–29
foreland basins, Himalayas, erosional loss, sediment deposition and uplift, 217–20
fractography, in geology, 889–90
FRANCIS, P.W. & HAWKESWORTH, C.J., Late Cenozoic rates of magmatic activity in the Central Andes and their relationships to continental crust formation and thickening, 845–54, figs
FRIEND, C.R.L. & NUTMAN, A.P., two Archaean granulite-facies metamorphic events in the Nuuk–Maniitsoq region, southern West Greenland: correlation with the Saglek block, Labrador [Special], 421–4, figs
FURNES, H., KRYZA, R., MUSZYNSKI, A., PIN, C. & GARMANN, L.B., geochemical evidence for progressive, rift-related early Palaeozoic volcanism in the western Sudetes, 91–109, figs
gabbros, Falkland Islands, and constraints on Gondwanan break-up, 79–81
Galera Formation, Tertiary, S Chile, 263–5
Gander Zone, Newfoundland, structural evolution of terrane boundary, 629–46
Gander–Avalon terrane boundary, reactivated transpression zone, NE Newfoundland Applachians, 629–46
GARMANN, L.B. *see* FURNES, H.
GASS, I.G., *see* MACDONALD, R.
geochemical evidence, for rift-related early Palaeozoic volcanism, Poland, 91–109
geochemical evolution, of Ordovician island arc, S Mayo, Ireland, 329–42
geochemistry, of calc-alkaline lavas, New Mexico, 826–33
——, of carbonatites, Loch Borralan, Assynt, 947–52
——, of deep sea sediments and interrelationships with nodules, S Pacific, 405–12
——, of element fractionation during mudrock sedimentation, Oxford Clay, 195–207
——, of element supply to manganese nodules, S Pacific, 397–9
——, of gold and LILE depletion, Lewisian, Scotland, 748–52
——, of heavy minerals, foreland basin, Betic Cordillera, evidence of unroofing, 524–6
——, of metamorphosed mafic rocks, and pre-obduction history of NE Oman, 999–1016
——, of oceanic island basalts, accretionary complex, Alexander Island, Antarctica, 71–5
——, of ophiolites, Palaeozoic Küre Complex, Turkey, 294–8
——, of orogenic igneous rocks and crustal growth, 855–68
——, and *P-T* conditions, of blueschist-eclogite facies, Oman, 566–9
——, of scapolites, in marbles, C Australia, 807–11
——, of Silurian bentonites, Sweden, 741–5
——, of Tertiary lavas, N Ireland, 870–3
geochronology, of Dalradian deformation, S Highlands, 5–8
——, of Grenville Province, Antarctica, 1–3
——, of Moldanubian granulites, Bohemia, Czech Republic, 83–90
——, of Pan-African metamorphism, Tanzania, 343–7
——, and tectonic evolution of Caledonides, Greenland, 615–28
geodynamics, and palaeostress, of Boulonnais and Kent fault systems, 439–48
Geofluids '93, 727–8
geothermal gradients, Hercynian, Canigou massif, Pyrenees, 987–98
Gföhl terrane, Czech Republic, granulites and dating of Variscan metamorphism, 84–7
GIBBARD, P.L., *see* MADDY, D.
GIBLING, M.R., GRADSTEIN, F.M., KRISTIANSEN, I.L., NAGY, J., SARTI, M. & WIEDMANN, J., Early Cretaceous strata of the Nepal Himalayas: conjugate margins and rift volcanism during Gondwanan breakup, 269–90, figs
GIBSON, R.L. & BICKLE, M.J., thermobarometric constraints on the conditions of metamorphism in the Canigou massif, Pyrenees: implications for Hercynian geothermal gradients, 987–98
Glamorgan, Vale of, S Wales, deep structure, 909–17
Glen Esk, Glen Isla, stratigraphy of Dalradian in, 5
GLOVER, B.W., *see* PHILLIPS, E.R.
——, *see* WATERS, C.N.
gold and LILE depletion, lower crust, Lewisian, Scotland, 747–54
Gondwanaland, assembly, Neoproterozoic; and Darling Mobile Belt, Australia, 901–4
——, Falkland Island dyke ages and continental break-up, 79–81
Gondwanan breakup, Cretaceous rift volcanism during, Nepal Himalayas, 269–90
Gotland, Sweden, chemostratigraphy of bentonites, 741–6
GRADSTEIN, F.M., *see* GIBLING, M.R.
Grampian and Appin Groups, Neoproterozoic, Scotland, tectonothermal evolution of, 971–86
Grampian Highlands, Scotland, Caledonian plutonism and major lineaments, 955–69
granite cooling, Jurassic and Cretaceous, Peru, 473–83
granite emplacement model, Skye, 941–2
granites, contribution to crustal growth, 860–1
——, Hercynian, SW England, origins, 795–802
——, Phanerozoic, in Scottish Caledonides, 861–3
granitoids, Grampian Highlands, 955–9
granulite-facies metamorphism, Archaean of W Greenland, correlation with Labrador, 421–4
granulites, Lewisian, depletion of gold and LILE in, 747–54
Great Limestone Cyclothem, Stainmore, UK, post-abandonment facies, 681–95
Greece, uplift, deformation, fluids, in normal fault zone, Gulf of Corinth, 531–41
GREEN, C.P., *see* MADDY, D.
Greenland Caledonides, $^{40}Ar/^{39}Ar$ mineral age and tectonic evolution, 615–28
Greenland W, Archaean metamorphism correlated with Labrador, 421–4
greenschist-facies in marbles, significance of scapolite in, Australia, 803–12
Grenville Province, in Antarctica, test of SWEAT hypothesis, 1–4
groundwater evolution, in late Triassic alluvial sediments, 897–900
Grunehogna, Antarctica, sill emplacement into wet sediments, 777–94
Guadal Formation, Tertiary, S Chile, 259–63
HAMILTON, D.S., *see* KAISER, W.R.
HARKIN, J., *see* WILLIAMS, D.M.
HARLAND, R., *see* STOKER, M.S.
HARRIS, L.B., Neoproterozoic sinistral displacement along the Darling Mobile Belt, Western Australia, during Gondwanaland assembly [Special], 901–4, figs

HATHWAY, B., sedimentation and volcanism in an Oligocene-Miocene intra-oceanic arc and fore-arc, southwestern Viti Levu, Fiji, 499–514
HAUGHTON, P.D.W., *see* MARSHALL, J.E.A.
HAWKESWORTH, C.J., *see* DAVIS, J.
——, *see* FRANCIS, P.W.
HAYES, J.M., *see* KENIG, F.
heavy mineral analysis, and unroofing history of Betic Cordillera, SE Spain, 522–7
Hebrides, Sea of, basin structure and Tertiary magmatism, 931–44
Hebrides Slope, NE Atlantic, Cenozoic stratigraphical record, 235–49
HENRIKSEN, N., *see* DALLMEYER, R.D.
Hercynian geothermal gradients, Canigou massif, Pyrenees, 987–98
Hercynian granites, SW England, origins of, 795–802
hiatus, diachronous, indicating oceanic water masses, 737–40
HIGGS, K.T., *see* WILLIAMS, D.M.
Highlands, Scotland, lineaments and plutonism, 955–69
HILLIER, B.V., *see* BROOKS, M.
HILLIER, S.J., *see* MARSHALL, J.E.A.
HILLIS, R.R., on the amount of Tertiary erosion in the UK estimated using sonic velocity analysis [reply to discussion], 1041–4
Himalayan uplift, volume balance of erosional loss and sediment deposition, 217–20
Himalayas, Nepal, Cretaceous strata, volcanism and Gondwanan breakup, 269–90
HINE, N.M. *see* STOKER, M.S.
HO, L.-Z., *see* ANDERSON, T.F.
HODKINSON, R.A., *see* CRONAN, D.S.
Högfonna Formation, Proterozoic, Antarctica, cathodoluminescence studies, 784–9
HOLDSWORTH, R.E., structural evolution of the Gander–Avalon terrane boundary: a reactivated transpression zone in the NE Newfoundland Appalachians, 629–46, figs
HOLLIDAY, D.W., on Mesozoic cover over northern England: interpretation of apatite fission track data [reply to discussion], 735–6
HOLMAN, J.A., *see* ASHTON, N.M.
hotspot, U Cretaceous, and SE tilt of Britain, 905–8
HUDSON, J.D., Oxford Clay studies [introduction], 111–12
—— & MARTILL, D.M., the Peterborough Member (Callovian, Middle Jurassic) of the Oxford Clay Formation at Peterborough, UK, 113–24, figs
——, *see* ANDERSON, T.F.
——, *see* NORRY, M.J.
HUNT, C.O., *see* ASHTON, N.M.
HUTTON, D.H.W., *see* BUTLER, R.W.H.
hydraulic regimes, in tidal salt marshes, 43–6
hydrogeology, model for diagenesis of Triassic sediments, 897–900
Iapetus closure, from subsidence analysis of E Avalonian sequences, 647–57
Iapetus and Pacific oceans, Neoproterozoic opening at Scottish RRR junction, 579–82
Iberia Abyssal Plain, deformation at ocean–continent transition, 607–13
ignimbrite eruptions, and caldera collapse, 926–7
Ireland, Caledonian melange, implications for tectonic models, 307–14
——, Mayo, geochemical evolution of Ordovician island arc, 329–42
——, N, open system petrogenesis in Tertiary lavas, 869–77
——, W, oroclinal bending in Caledonides, 315–28
iron, sequestered by oceanic particulates, 353
IRVING, B.G., *see* ASHTON, N.M.
island arc, Ordovician, W Ireland, geochemical evolution of, 3229–42
isotopes, stable, from fossils, Peterborough Member, Oxford Clay Formation, palaeoenvironmental implications, 125–38
isotopic biogeochemistry of Oxford Clay Formation, UK, 139–52
isotopic records, of calcareous fossils and palaeoenvironment, Oxford Clay, 129–37
Italy, N, Variscan evolution of Southalpine basement, 759–60
——, S, fission-track analysis and provenance studies, sediments, Calabrian Arc, 463–71
JACQUES, J.M. & REAVY, R.J., Caledonian plutonism and major lineaments in the SW Scottish Highlands, 955–69
JAYAWARDANE, J., *see* EL-SHAZLY, A.K.
JEPPSSON, L., *see* BATCHELOR, R.A.
JOHNSON, A.C., *see* STOREY, B.C.
JOHNSON, M.R.W., volume balance of erosional loss and sediment deposition related to Himalayan uplifts [Special], 217–20
JONES, A.P., *see* CHURCH, A.A.
——, *see* MATTHEWS, S.J.
JONES C.E., *see* TARNEY, J.
Jurassic, isotopic biogeochemistry of Oxford Clay Formation, 139–52
——, UK, Peterborough Member of Oxford Clay Formation, 113–24
Jurassic–Cretaceous sequences, correlation, Biscay margin, N Spain, 715–26
Jurassic fault scarp, NE Scotland, palaeoecology and sedimentology across, 729–31
Kaczawa Mountains, Poland, early Palaeozoic rift-related volcanism in, 91–109
KAISER, W.R., HAMILTON, D.S., SCOTT, A.R., TYLER, R. & FINLEY, R.J., geological and hydrological controls on the producibility of coalbed methane [Special], 417–20, figs
KEMP, R.A., *see* ASHTON, N.M.
KENIG, F., HAYES, J.M., POPP, B.N. & SUMMONS, R.E., isotopic biogeochemistry of the Oxford Clay Formation (Jurassic), UK, 139–52, figs
——, *see* BELIN, S.
Kenya rift, tectonomagmatic evolution, 879–88
kerogen, in Oxford Clay, geochemistry, 154
KEY, R.M., *see* PHILLIPS, E.R.
KIDD, R.B., *see* RAMSAY, A.T.S.
KING, L.M., subsidence analysis of Eastern Avalonian sequences: implications for Iapetus closure, 647–57, figs
Knabberud Limestone, S Norway, and Silesian palaeogeography, 677–9
KNOTT, S.D., fault zone thickness versus displacement in the Permo-Triassic sandstones of NW England, 17–25, figs
KRISTIANSEN, I.L., *see* GIBLING, M.R.
KRÖNER, A., *see* WENDT, J.I.
KRYNAUW, J.R., BEHR, H.-J. & VAN DEN KERKHOF, A.M., sill emplacement in wet sediments: fluid inclusion and cathodoluminescence studies at Grunehogna, western Dronning Maud Land, Antarctica, 777–94, figs
KRYZA, R., *see* FURNES, H.
Küre Complex, N Turkey, Palaeozoic marginal basin and subduction-accretion, 291–305
KÜSTER, D., *see* SCHANDELMEIER, H.
Labrador, correlation of Archaean metamorphic events with W Greenland, 421–4
landform evolution, and climate, from alluvial fans, Oman, 51–8
lapilli, hollow, natrocarbonatite, from Oldoinyo Lengai, Tanzania, 59–63
Lascar Volcano, Chile, redox reactions in calc-alkaline magmas, 815–7
LAUBACHER, G. & NAESER, C.W., fission-track dating of granitic rocks from the Eastern Cordillera of Peru: evidence for Late Jurassic and Cenozoic cooling, 473–83, figs

Le May Group, Alexander Island, Antarctica, deformation in accretionary prism, 543–54
Le May Group accretionary complex, allochthonous oceanic island, basalts in, 65–78
LEAT, P.T., *see* DOUBLEDAY, P.A.
LENOIR, J.-L., *see* MUHONGO, S.
LESLIE, A.B., *see* STOKER, M.S.
LESLIE, A.G., *see* TANNER, P.W.G.
LEWIS, S.G., *see* ASHTON, N.M.
——, *see* MADDY, D.
Lewisian Complex, Scotland, gold and LILE depletion of lower crust, 747–54
LILE and gold depletion, in lower crust, Lewisian, Scotland, 747–54
LIN, F.J., *see* CHESTER, R.
lineaments, and Caledonian plutonism, SW Scottish Highlands, 955–69
lithofacies of Peterborough Member, Oxford Clay Formation, sediment bypass in mudstones, 161–72
Llandovery bentonites, Sweden, as chemostratigraphic markers, 741–6
LONERGAN, L. & MANGE-RAJETSKY, M.A., evidence for Internal Zone unroofing from foreland basin sediments, Betic Cordillera, SE Spain, 515–29, figs
Lower Leintwardine Formation, Silurian, Welsh Borderland, slope sedimentation, 36–8
Lower and Upper Whitcliffe Formations, Silurian, Welsh Borderland, slope sedimentation, 38–9
Lower Palaeolithic, Barnham Suffolk, excavations 1989–92, 599–605
LYELL MEDAL presented to W.G. CHALONER, 577; L. FUND presented to I.J. FAIRCHILD, 578
LYLE, P., *see* WALLACE, J.M.
MACDONALD, R., WILLIAMS, A.J. & GASS, I.G., tectonomagmatic evolution of the Kenya rift valley: some geological perspectives, 879–88, figs
MACNIOCALL, C., *see* SMETHURST, M.A.
MACQUAKER, J.H.S., a lithofacies study of the Peterborough Member, Oxford Clay Formation (Jurassic), UK: an example of sediment bypass in a mudstone succession, 161–72, figs
MCBRIDE, J.H. & ENGLAND, R.W., deep seismic reflection structure of the Caledonian orogenic front west of Shetland, 9–16, figs
MCCAFFREY, W.D., Sm–Nd isotopic characteristics of sedimentary provenance: the Windermere Supergroup of NW England, 1017–21
MCCULLOCH, A.A., on Mesozoic cover over northern England: interpretation of apatite fission track data [discussion of: HOLLIDAY], 735–6
MCNAB, J., *see* ASHTON, N.M.
MADDY, D., COOPE, G.R., GIBBARD, P.L., GREEN, C.P. & LEWIS, S.G., reappraisal of Middle Pleistocene fluvial deposits near Brandon, Warwickshire and their significance for the Wolston glacial sequence, 221–33, figs
magma differentiation, in calc-alkaline magmas, New Mexico, 836–40
magmatic processes, 813–4
magmatism, Late Proterozoic, in Nakasib suture, Sudan, 485–97
——, Tertiary, and basin structure, Skye, 931–44
Malaguide foreland basin, SE Spain, evidence for unroofing of Betic Cordillera, 516–20
manganese, sequestered by oceanic particulates, 352–3
manganese nodules, Aitutaki–Jarvis transect, S Pacific, 391–401
MANGE-RAJETSKY, M.A., *see* LONERGAN, L.
mantle, and melting processes under rifts, 884–6
marble, fluid flow and permeability in, Australia, 583–6
marbles, Australia, scapolite in, 803–12
MARSHALL, J.E.A., HAUGHTON, P.D.W. & HILLIER, S.J., vitrinite reflectivity and the structure and burial history of the Old Red Sandstone of the Midland Valley of Scotland, 425–38, figs
MARTI, J., ABLAY, G.J., REDSHAW, L.T. & SPARKS, R.S.J., experimental studies of collapse calderas, 919–29
MARTILL, D.M., TAYLOR, M.A. & DUFF, K.L., with contributions by RIDING, J.B. & BROWN P.R., the trophic structure of the biota of the Peterborough Member, Oxford Clay Formation (Jurassic), UK, 173–94, figs
MARTILL, D.M., *see* HUDSON, J.D.
MARTIN, H.N., *see* SEARLE, M.P.
MASSON, D.G., CARTWRIGHT, J.A., PINHEIRO, L.M., WHITMARSH, R.B., BESLIER, M.-O. & ROESER, H., compressional deformation at the ocean–continent transition in the NE Atlantic, 607–13, figs
MATHEIS, G., *see* SCHANDELMEIER, H.
MATTHEWS, S.J., JONES, A.P. & BEARD, A.D., buffering of melt oxygen fugacity by sulphur redox reactions in calc-alkaline magmas, 815–23, figs
MAY, F., *see* PHILLIPS, E.R.
Mayo, Ireland, geochemical evolution of Ordovician island arc, 329–42
——, W Ireland, oroclinal bending in Caledonides, 315–28
MEADOWS, A. & MEADOWS, P.S., bioturbation in deep sea Pacific sediments, 361–75, figs
——, *see* MEADOWS, P.S.
MEADOWS, P.S., REICHELT, A.C., MEADOWS, A. & WATERWORTH, J.S., microbial and meiofaunal abundance, redox potential, pH and shear strength profiles in deep sea Pacific sediments, 377–90, figs
——, *see* MEADOWS, A.
MEIGHAN, I.G., *see* WALLACE, J.M.
melange, Caledonian, Ireland, implications for tectonic models, 307–14
Menderes Massif, Turkey, metamorphic core complex, 213–6
Mercia Mudstone Group, early diagenesis of, 897–900
Mesozoic accretionary complex, Antarctica, allochthonous oceanic basalts of, 65–78
Mesozoic ammonites, history of classification, 1035–40
Mesozoic cover, N England, from fission track data, 735–6
metamorphic, and structural evolution, Variscan, Southalpine basement, 755–66
Metamorphic conditions, Canigou massif, Pyrenees, 987–98
metamorphic core complex, W Anatolia, Turkey, 213–6
Metamorphic petrology, of Grampian and Appin groups, Monadhliath Mountains, Scotland, 974–85
metamorphism, Barrovian, timing of, and relationship to Dalradian deformation, 5–8
——, of blueschist–eclogite facies rocks, Oman, 555–76
——, granulite-facies, Archaean of W Greenland, 421–4
——, Pan-African, Tanzania, geochronology of, 343–7
metamorphosed mafic rocks, Oman, geochemistry and pre-obduction history, 999–1016
metavolcanic rocks, evidence of early Palaeozoic rifting, Poland, 91–109
methane, from coalbeds, controls on producibility, 417–20
microbial and meiofaunal abundance, in deep sea Pacific sediments, 377–90
microfossil zonation schemes, N Sea, compared with dinocyst zonation, 457–60
microthermometry, of fluid inclusions in sills, Antarctica, 782–4
Midland Valley of Scotland, vitrinite reflectivity and burial history of ORS, 425–38
MILIORIZOS, M., *see* BROOKS, M.
MILLER, S. & CRONAN, D.S., element supply to surface sediments and interrelationships with nodules along the Aitutaki–Jarvis Transect, South Pacific, 403–12, figs
mineralization, biologically mediated, in water column, 377–90
——, crosscourse, timing and significance, SW England, 587–90

miospores, in late Caledonian melange, W Ireland, age and implications for tectonics, 308–14
modern perspectives on magmatic processes [thematic set] and:
buffering of melt oxygen fugacity in calc-alkaline magmas, 815–23
early calc-alkaline magmatism, New Mexico, 825–43
Introduction: modern perspectives on magmatic processes, 813–4
Late Cenozoic magmatic activity rates, Andes, 845–54
Sr isotope data, Tertiary lavas, N Ireland, 869–77
tectonomagmatic evolution, Kenya Rift, 879–88
trace element geochemistry of orogenic igneous rocks, 855–68
Mogollon–Datil Volcanic Field; New Mexico, early calc-alkaline magmatism, 825–43
Moine Thrust, and Caledonian orogenic front, Shetland, 9–16
Moldanubian *HP*/*HT* granulites, Czech Republic, geochronology of, 83–90
Monadhliath Mountains, Scotland, tectonothermal evolution of Grampian and Appin groups of Neoproterozoic, 971–86
Mozambique Belt, Tanzania, geochronology of Pan-African metamorphism, 343–7
MUDGE, D., *see* BUJAK, J.
Muding Formation, Cretaceous, Nepal, sedimentation on Gondwanan margin, 281
mudrock sedimentation, element fractionation during, Oxford Clay, 195–207
MUHONGO, S. & LENOIR, J.-L., Pan-African granulite-facies metamorphism in the Mozambique Belt of Tanzania: U–Pb zircon geochronology, 343–7, figs
MURCHISON MEDAL presented to J. THIEDE, 577; M. FUND presented to G.B. SHIMMIELD, 578
muscovites, Cadomian, E Alps, apparent age spectra, 591–8
MUSSETT, A.E. & TAYLOR, G.K., ^{40}Ar–^{39}Ar ages for dykes from the Falkland Islands with implications for the break-up of southern Gondwanaland, 79–81, figs
MUSZYNSKI, A., *see* FURNES, H.
Nabu Formation, of Wainimala group, Tertiary, Fiji, arc and fore-arc volcanism, 508–10
NAESER, C.W., *see* LAUBACHER, G.
Nakasib suture, Sudan, Late Proterozoic magmatism in, 485–97
nannofossils, calcareous, of Oxford Clay, 188–90
natrocarbonatite lapilli, hollow, from Oldoinyo Lengai, Tanzania, 59–63
Nd and Sr isotopic constraints on origin of Cornubian batholith, 795–802
NEEDHAM, D.T., on the structure of the western part of the Southern Uplands of Scotland [reply to discussion], 732–4, fig
NELL, P.A.R. & TREAGUS, J.E., on a Pre-D2 age for the Ben Vuirich Granite [discussion of: TANNER & LESLIE], 1045–8. fig
——, *see* DOUBLEDAY, P.A.
Neoproterozoic, Monadhliath Mountains, Scotland, Tectonothermal evolution of, 971–86
——, sinistral displacement along Darling Mobile Belt, Australia, 901–4
Neoproterozoic history, of Scottish Highlands, 581–2
Nepal Himalayas, Gondwanan breakup and Cretaceous rift volcanism, 269–90
NEUMAN, R.B., HARPER, D.A.T. & VAN STAAL, C.R., on a reassessment of the early Ordovician' Celtic' brachiopod province [discussion of: COCKS & MCKERROW], 891–2
New Mexico, calc-alkaline magmatism, 825–43
Newfoundland Appalachians, structural evolution of Gander–Avalon terrane boundary, 629–46
nodules, sediments and element supply, Aitutaki–Jarvis transect, S Pacific, 403–12
non-marine bivalves, Oslo Graben, correlation with Pennsylvanian of N America, 669–80
NORRY, M.J., DUNHAM, A.C. & HUDSON, J.D., mineralogy and geochemistry of the Peterborough Member, Oxford Clay Formation, Jurassic, UK: element fractionation during mudrock sedimentation, 195–207, figs
North Sea, Eocene dinocyst zonation, 449–62
Norway, and N America, Pennsylvanian correlated using non-marine bivalves, 669–80
NUTMAN, A.P., *see* FRIEND, C.R.L.
ocean-continent transition, NE Atlantic, compressional deformation at, 607–13
oceanic particulates, trace metal solid state speciation in, 351–60
oceanic water masses, indicated by sedimentary hiatuses, 737–40
Oko Shear Zone, Sudan, and deformation of Arabian–Nubian Shield, 767–76
Old Red Sandstone, and deep structure, Vale of Glamorgan, 909–17
——, Midland Valley of Scotland, vitrinite reflectivity, 425–38
'Older Granite' emplacement, and Dalradian deformation, 5–8
Oldoinyo Lengai, Tanzania, hollow natrocarbonatite lapilli, 59–63
Oligocene–Miocene detachment, controlling N Aegean extension, S Rhodope, 413–5
Oligocene–Miocene intra-oceanic arc, Fiji, volcanism in, 499–514
OLIVER, G.J.H., CORFU, F. & KROGH, T.E., on U–Pb ages from SW Poland: evidence for a Caledonian suture zone between Baltica and Gondwana [reply to discussion], 1049–55
Oman, Batinah coast, tectonic and climatic implications of alluvial fan sequences, 51–8
——, geochemistry of metamorphosed mafic rocks and pre-obduction history, NE Oman, 999–1016
——, metamorphism of blueschist-eclogite facies rocks in, 555–76
ophiolitic complex, late Proterozoic, Oshib, Sudan and Nakasib suture, 485–97
ophiolitic rocks, late Palaeozoic, of Küre Complex, Turkey, 292–4
Ordovician island arc, S Mayo, Ireland, geochemical evolution of, 329–42
Ordovician volcanic rocks, S Mayo, Ireland, geochemistry of, 329–42
organic matter, in Oxford Clay, petrography, 154–8
organic petrography and deposition, Oxford Clay Formation, 153–60
oroclinal bending, in Caledonides of W Ireland, 315–28
orogenic igneous rocks, geochemistry and crustal growth, 855–68
Oxford Clay, 111–112
Oxford Clay, compared with other shales, 204–6
Oxford Clay Studies, [thematic set] and:
Introduction: Oxford Clay studies, 111–112
isotopic biogeochemistry of the Oxford Clay Formation, 139–52
lithofacies study of the Peterborough Member, Oxford Clay Formation, 161–72
mineralogy and geochemistry of the Peterborough Member, Oxford Clay Formation, 195–207
Peterborough Member, of Oxford Clay Formation, 113–24
petrographic analysis of organo-mineral relationships in Oxford Clay Formation, 153–60
stable isotopic record of fossils from Peterborough Member, Oxford Clay Formation, 125–38
trophic structure of the biota of the Peterborough Member, Oxford Clay Formation, 173–94
oxygen fugacity, by sulphur redox reactions, calc-alkaline magmas, 815–23
P–*T* conditions, metamorphism of Canigou Massif, Pyrenees, 991–994
Pacific, S, element supply to manganese nodules along Aitutaki–Jarvis transect, 391–401
——, ——, element supply to surface sediments and nodules, Aitutaki–Jarvis transect, 403–12

Pacific deep sea sediments, bioturbation in, 361–75
Pacific oceanic crust, early, in Mesozoic accretionary complex, Antarctica, 65–78
Pacific sediments, microbial and meiofaunal abundance in, 377–90
palaeoenvironment, using stable isotopes, Peterborough Member, Oxford Clay formation, 125–38
palaeomagnetic data, Silurian, W Ireland, 316–26
palaeomagnetic and structural study, of eastern Subbetic, Spain, 659–68
palaeostress analysis, of Boulonnais and Kent fault systems, 439–48
Palaeotethyan Küre Complex, Turkey, marginal basin and subduction-accretion, 291–305
Palaeozoic marginal basin, Palaeotethyan Küre Complex, N Turkey, 291–305
palynofloras, of Oxford Clay, 190–2
Pan-African metamorphism, Mozambique Belt, Tanzania, 343–7
PANKHURST, R.J., *see* STOREY, B.C.
PARFITT, S., *see* ASHTON, N.M.
PARK, R.G., *see* BOZKURT, E.
PARNELL, J., Geofluids '93 [conference report], 727–8
PARSONS, I., *see* YOUNG, B.N.
pelagic fluxes, and sedimentation, 349–50
pelagic fluxes and sedimentation [thematic set] and:
  bioturbation in deep sea Pacific sediments, 361–75
  element supply to surface manganese nodules, South Pacific, 391–401
  element supply to surface sediments, South Pacific, 403–12
  Introduction: pelagic fluxes and sedimentation 349–50
  microbial and meiofaunal abundance, redox potential, pH in deep sea Pacific sediments, 377–90
  trace element solid state speciation changes in oceanic particulates, 351–60
Pennine Basin, Variscan evolution of, from structural synthesis of S Staffordshire, 697–713
Pennsylvanian, N America, correlation with Oslo Graben using non-marine bivalves, 669–80
permeability and fluid flow, in marbles, Reynolds Range, Australia, 583–6
Permo-Triassic sandstones, NW England, fault zone thickness versus displacement in, 17–25
Peru, granite cooling from fission-track dating, Jurassic and Cenozoic, 473–83
Peterborough Member, Oxford Clay Formation, element fractionation during sedimentation, 195–207
——, ——, palaeoenvironment from stable isotopes, 125–38
——, ——, sediment bypass in a mudstone succession, 161–72
——, ——, trophic structure of biota, 173–94
Peterborough Member (Callovian, M Jurassic), of Oxford Clay Formation, UK, 113–24
petrogenesis, open system of basalts, N Ireland, 869–77
petrography of organo-mineral relationships, Oxford Clay Formation, 153–60
PHILLIPS, E.R., KEY, R.M., CLARK, G.C., MAY, F., GLOVER, B.W. & CHACKSFIELD, B.C., tectonothermal evolution of the Neoproterozoic Grampian and Appin groups, southwestern Monadhliath Mountains, Scotland, 971–86
PICKERING, K.T., *see* WIGNALL, P.B.
PIN, C., *see* FURNES, H.
Pinatubo, Phillipines, redox reactions in calc-alkaline magmas, 817–8
PINHEIRO, L.M., *see* MASSON, D.G.
Pisia Fault Zone, Corinth, Greece, diagenesis and fluid involvement, 531–41
PLATT, N.H. & PUJALTE, V., correlation of Upper Jurassic–Lower Cretaceous continental sequences from the southern Biscay margin, northern Spain, 715–26, figs
PLATT, J.P., *see* ALLERTON, S.
Pleistocene, Wolstonian type section revised, 221–33
Pleistocene coleoptera, Warwickshire, 229–31
Pleistocene fluvial deposits, Brandon, Warwickshire and the Wolston glacial sequence, 221–33
plutonism, Caledonian, and major lineaments, SW Scottish Highlands, 955–69
Podgorki volcanic complex, Poland, early Palaeozoic rift-related volcanism, 93–102
Poland, rift-related early Palaeozoic volcanism, W Sudetes, 91–109
POOLE, E.G., on the Permian to Jurassic stratigraphy and structural evolution of the central Cheshire Basin [discussion of: EVANS, *et al.*], 893–5
POPP, B.N., *see* ANDERSON, T.T.
——, *see* KENIG, F.
POWELL, J.H., *see* WATERS, C.N.
Precambrian, Sudan, deformation of Arabian–Nubian Shield, 767–76
PRESIDENT'S AWARD presented to W.T. PRATT, 578
PRESIDENT'S AWARD presented to D.M. PYLE, 578
PRIOR, D.J., *see* FLINT, S.S.
Proterozoic magmatism, in Nakasib suture, Sudan, 485–97
PUJALTE, V., *see* PLATT, N.H.
Pyrenees, thermobarometric constraints on metamorphism, Canigou massif, 987–98
pyroxene granulites, and dating of Variscan metamorphism, Czech Republic, 84–7
Quaternary, Oman, climate and alluvial fan sequences, 51–8
RAMSAY, A.T.S., SYKES, T.J.S. & KIDD, R.B., sedimentary hiatuses as indicators of fluctuating oceanic water masses: a new model [Special], 737–40, figs
Rannoch Moor Complex, Grampian Highlands, plutonism and lineaments, 961–2
Rb-Sr isochron, for Grenvillian rocks, E Antarctica, 3
Rb-Sr isotopic analysis, of fluid inclusions, and timing of mineralization, SW England, 587–90
REAVY, R.J., *see* JACQUES, J.M.
Red Hills, Skye, intrusions and basin structure, 938–41
redox reactions, in calc-alkaline magmas, 815–23
REDSHAW, L.T., *see* MARTI, J.
regression, 'forced', and nearshore sedimentation, Great Limestone Cyclothem, Stainmore, UK, 681–95
REICHELT, A.C., *see* MEADOWS, P.S.
REICHERTER, K., *see* ALLERTON, S.
REX, D.C., *see* SEARLE, M.P.
Reynolds Range, Australia, fluid flow and permeability in marbles, 583–6
——, ——, significance of scapolite in marbles, 803–12
R.H. WORTH PRIZE presented to S.M. ETCHES, 578
Rhodope, Oligocene–Miocene detachment controlling N Aegean extension, 413–5
RICHTER, C., *see* RING, U.
RIDING, J.B., *see* MARTILL, D.M.
RING, U. & RICHTER, C., the Variscan structural and metamorphic evolution of the eastern Southalpine basement, 755–66, figs
rift volcanism, Cretaceous, and Gondwanan breakup, Nepal Himalayas, 269–90
rift-related Palaeozoic volcanism, Poland, 91–109
Ritscherflya Supergroup, Proterozoic, Antarctica, emplacement of sills into wet sediment, 777–94
ROBERTS, G. & STEWART, I., uplift, deformation and fluid involvement within an active normal fault zone in the Gulf of Corinth, Greece, 531–41, figs
ROBERTSON, A.H.F., *see* USTAÖMER, T.
ROBERTSON, S., timing of Barrovian metamorphism and 'Older Granite' emplacement in relation to Dalradian deformation [Special], 5–8, figs
Rockall Trough, deformation at the ocean-continent margin, 610–11

ROESER, H., *see* MASSON, D.G.
ROGERS, N.M. *see* WALLACE, J.M.
ROGERS, N.W., modern perspectives on magmatic processes: [Introduction], 813–4
Rubio Peak Formation, Tertiary, New Mexico, calc-alkaline volcanics, 828–9
RYAN, P.D., *see* CLIFT, P.D.
——, *see* MACNIOCALL, C.
Saih Hatat, Oman, geochemistry of metamorphosed mafic rocks, 999–1016
Saih Hatat window, Oman, blueschist-eclogite facies of, 559–66
salt marsh sedimentological model, 41–9
San José Formation, Tertiary, S Chile, 258–9
SANDLER, A., *see* WRIGHT, V.P.
SARTI, M., *see* GIBLING, M.R.
scapolite, in greenschist-facies marbles, Reynolds Range, Australia, 803–12
SCHANDELMEIER, H., ABDEL RAHMAN, E.M., WIPFLER, E., KÜSTER, D., UTKE, A. & MATHEIS, G., Late Proterozoic magmatism in the Nakasib suture, Red Sea Hills, Sudan, 485–97, figs
Scotland, basin structure and Tertiary magmatism, Skye, 931–44
——, carbonatite, Loch Borrolan, Assynt, 945–54
—— Dalradian, pre-D2 age for Ben Vuirich Granite, 209–12
——, gold and LILE depletion in Lewisian lower crust, 747–54
——, Midland Valley, vitrinite reflectivity and burial history of ORS, 425–38
——, NE, palaeoecology and sedimentology across Jurassic fault scarp, 729–31
——, structure of Southern Uplands, 732–4
——, SW Highlands, Caledonian plutonism and major lineaments, 955–69
——, tectonothermal evolution of Grampian and Appin groups, Monadhliath Mountains, 971–86
——, Vendian RRR junction, 579–82
SCOTT, A.R., *see* KAISER, W.R.
SCOTT, W.D., *see* STOKER, M.S.
SCRIVENER, R.C., DARBYSHIRE, D.P.F. & SHEPHERD, T.J., timing and significance of crosscourse mineralization in SW England [Special], 587–90, figs
SEARLE, M.P., WATERS, D.J., MARTIN, H.N. & REX, D.C., structure and metamorphism of blueschist–eclogite facies rocks from the northeastern Oman Mountains, 555–76, figs
SEDDON, M.B., *see* ASHTON, N.M.
sediment bypass in mudstones, Oxford Clay Formation, 161–72
sedimentation, nearshore, and 'forced' regression, Great Limestone Cyclothem, Stainmore, UK, 681–95
——, and pelagic fluxes, 349–50
sedimentology, model for temperate-zone tidal salt marshes, 41–9
sediments, Pacific, bioturbation in, 361–75
——, ——, faunal abundance, redox potential, pH, shear strength, Pacific, 377–90
seismic reflection structure, of Caledonian orogenic front, Shetland, 9–16
SHEPHERD, T.J., *see* DARBYSHIRE, D.P.F.
——, *see* SCRIVENER, R.C.
Shetland, deep seismic reflection structure of Caledonian orogenic front, 9–16
Silesian palaeogeography, of Norway, links with Russia and N America, 677–9
sill emplacement in wet sediments, Dronning Maud Land, Antarctica, 777–94
Silurian, Mayo, W Ireland, oroclinal bending of Caledonides during, 315–28
Silurian basin slope sedimentation, Welsh Borderland, 27–40
Silurian bentonites, Sweden, chemostratigraphy, 741–6
Skye, NW Scotland, basin structure and Tertiary magmatism, 931–44
Sm-Nd data, for Grenvillian rocks, E Antarctica, 2
Sm-Nd isotopes, and provenance of Windermere Supergroup, NW England, 1017–21
SMETHURST, M.A., MACNIOCALL, C. & RYAN, P.D., oroclinal bending in the Caledonides of western Ireland, 315–28, figs
SMITH, K., GATLIFF, R.W. & SMITH, N.J.P., on the amount of Tertiary erosion in the UK estimated using sonic velocity analysis [discussion of: HILLIS], 1041–4, fig
Society awards for 1994, 577–8
SOKOUTIS, D., *et al.*, on a major Oligocene-Miocene detachment in southern Rhodope controlling north Aegean extension [reply to discussion], 4133–5
SOPER, N.J., Was Scotland a Vendian RRR junction? [Special], 579–82, figs
Southern Uplands, Scotland, structure of, 732–4
Southern Uplands sediments, Palaeozoic, correlated with Windermere Supergroup, 1019–20
sövite, in carbonatite, Loch Borralan, Assynt, 948
Spain, Betic Cordillera, evidence for unroofing in foreland basin sediments, 515–29
——, structure and palaeomagnetics of eastern Subbetic, 659–68
——, N, correlation of Jurassic–Cretaceous continental sequences on Biscay margin, 715–26
SPARKS, R.S.J., *see* MARTI, J.
Sr isotopic data, N Irish basalts, open system petrogenesis, 869–77
Staffordshire, S, structural synthesis and Variscan evolution of Pennine Basin, 697–713
Stainmore, UK, post-abandonment facies of Great Limestone cyclothem, 681–95
Stephanian, Norway and N America, correlated using non-marine bivalves, 669–80
STEWART, I., *see* ROBERTS, G.
Stilo-Capo d'Orlando Formation, Tertiary, S Italy, provenance from fission-track data, 464–9
STOKER, M.S., LESLIE, A.B., SCOTT, W.D. BRIDEN, J.C., HINE, N.M., HARLAND, R., WILKINSON, I.P., EVANS, D. & ARDUS, D.A., a record of late Cenozoic stratigraphy, sedimentation and climate change from the Hebrides Slope, NE Atlantic Ocean, 235–49, figs
STONE, P. & FLOYD, J.D., on the structure of the western part of the Southern Uplands of Scotland [discussion of: NEEDHAM, D.T.], 732–4, fig
STOREY, B.C., PANKHURST, R.J. & JOHNSON, A.C., the Grenville Province within Antarctica: a test of the SWEAT hypothesis [Special], 1–4, figs
STRACHAN, R.A., *see* DALLMEYER, R.D.
Strath Ossian Complex, Grampian Highlands, plutonism and lineaments, 959–61
Strathmore, Scotland, structural and burial history of ORS in, 425–38
Subbetic, Spain, structure and palaeomagnetics, 659–68
subduction, of mid-ocean ridge, S Chile, 251–68
subduction zones, thermal characteristics, 858–60
submarine canyons, in Silurian rocks, Welsh Borderland, 27–40
subsidence, in E Avalonia, and Iapetus closure, 647–57
Sudan, Late Proterozoic magmatism in Nakasib suture, 485–97
——, Oko Shear Zone, deformation of Arabian–Nubian Shield, 767–76
SUE TYLER FRIEDMAN MEDAL presented to D.R. OLROYD, 578
Suffolk, L Palaeolithic excavations 1989–92, at Barnham, 599–605
sulphide minerals, in Lewisian granulites, 750–2
SUMMONS, R.E., *see* KENIG, F.
Svalbard, Caledonian events compared with Greenland, 625
SWEAT (SW United States/East Antarctica) hypothesis and Antarctic Grenville Province, 1–4
SYKES, T.J.S., *see* RAMSAY, A.T.S.

systematics, versus stratigraphy, in classification of Carboniferous non-marine bivalves, 1023–34
Tamar Valley, SW England, timing of mineralization in, 587–90
Tangbe Formation, Cretaceous, Nepal, sedimentation on Gondwanan margin, 276–81
TANNER, P.W.G. & LESLIE, A.G., a pre-D2 age for the 590 Ma Ben Vuirich Granite in the Dalradian of Scotland [Special], 209–12, figs
——, ——, on a Pre-D2 age for the Ben Vuirich Granite [reply to discussion], 1045–8, fig
Tanzania, geochronology of Pan-African metamorphism, 343–7
——, hollow natrocarbonatite lapilli from Oldoinyo Lengai, 59–63
TARNEY, J. & JONES, C.E., trace element geochemistry of orogenic igneous rocks and crustal growth models, 855–68, figs
TAYLOR, G.K., *see* MUSSETT, A.E.
TAYLOR, M.A., *see* MARTILL, D.M.
terrane boundary, Gander–Avalon, Newfoundland, structural evolution, 629–46
Tertiary, Betic Cordillera, Spain, evidence for unroofing, 515–29
Tertiary Cosmelli Basin, relationship to the Chile triple junction, 251–68
Tertiary erosion, UK, estimated using sonic velocity analysis (discussion), 1041–4
Tertiary lavas, N Ireland, open system petrogenesis, 869–77
Tertiary magmatism, and basin structure, Skye, 931–44
Tethyan margin, of Gondwana, Nepal, and continental rifting, 269–90
Thakkhola, Nepal, Mesozoic sedimentation on Gondwanan margin, 270–3
thermobarometric constraints, on metamorphism, Canigou massif, Pyrenees, 987–98
THREADGOULD, *see* YOUNG, B.N.
THOMSON, S.N. fission-track analysis and provenance studies in Calabrian Arc sedimentary rocks, southern Italy, 463–71, figs
TODT, W., *see* WENDT, J.I.
trace element geochemistry, of orogenic igneous rocks, 855–68
trace metal solid state speciation, in oceanic particulates, 351–60
transpression zone, reactivated, Gander–Avalon terrane boundary, Newfoundland, 629–46
TRANTER, T.H., *see* DOUBLEDAY, P.A.
Triassic sediments, early diagenesis of, 897–900
triple junction, Chile, relationship to Tertiary Cosmelli Basin, 251–68
triple rift (RRR) junction, Vendian in Scotland, 579–82
trophic structure of Oxford Clay biota, 173–94
Turkey, Menderes Massif, incipient metamorphic core complex, 213–6
——, N, Küre Complex, Palaeozoic marginal basin, 291–305
TURNER, P., *see* FLINT, S.S.
TYLER, R., *see* KAISER, W.R.
U–Pb ages, SW Poland, evidence for a Caledonian suture zone between Baltica and Gondwana (discussion), 1049–55
U–Pb and Sm-Nd dates, of Moldanubian granulites, Bohemia, Czech Republic, 83–90
U–Pb zircon geochronology, of Pan-African metamorphism, Tanzania, 343–7
U–Pb zircon geochronology and correlations between late Archaean of Greenland and Labrador, 421–4
Uluguru and Pare Mountains, Mozambique, Pan-African metamorphism in, 343–47
UNDERHILL, J.R., on palaeoecology and sedimentology across a Jurassic fault scarp, NE Scotland [discussion of: WIGNALL & PICKERING], 729–31, fig
underplating models, implications for in accretionary prism, Alexander Island, 551–2
unroofing, Betic Cordillera, Spain, evidence in foreland basin sediments, 515–29
updrawing, prior to collapse in calderas, 921–3
uplift, Himalayan, volume balance of erosional loss and sediment deposition, 217–20
Upper Leintwardine Formation, Silurian, Welsh Borderland, slope sedimentation, 38
USA, early calc-alkaline magmatism, New Mexico, 825–43
USTAÖMER, T. & ROBERTSON, A.H.F., late Palaeozoic marginal basin and subduction–accretion: the Palaeotethyan Küre Complex, Central Pontides, northern Turkey, 291–305, figs
UTKE, A., *see* SCHANDELMEIER, H.
Vagadra Member, of Nabu formation, Tertiary, Fiji, volcaniclastics, 509–10
VAN DEN KERKHOF, A.M., *see* KRYNAUW, J.R.
VANDYCKE, S., *see* BERGERAT, F.
Variscan evolution, of Southalpine basement, 755–66
Variscan evolution of Pennine Basin, from structural synthesis of S Staffordshire, UK, 697–713
Variscan structure, concealed, Vale of Glamorgan, Wales, 909–17
Variscides, early Palaeozoic rift-related volcanism in, Poland, 91–109
VARNE, R., *see* EL-SHAZLY, A.K.
VASEY, G.M., classification of Carboniferous non-marine bivalves: systematics versus stratigraphy, 1023–30
Vendian RRR junction, Scotland, 579–82
vitrinite reflectivity, and burial history, ORS, Midland Valley of Scotland, 425–38
volcaniclastics, of arc and fore-arc, Fiji, 499–514
volcanism, in Cenozoic intra-oceanic arc, Fiji, 499–514
——, rift-related early Palaeozoic, Poland, 91–109
Wainimala Group, Tertiary, Fiji, intra-oceanic arc and fore-arc, 500–511
WAKEFIELD, S.J., *see* CRONAN, D.S.
Wales, S, deep structure of Vale of Glamorgan, 909–17
WALLACE, J.M., ELLAM, R.M., MEIGHAN, I.G., LYLE, P. & ROGERS, N.W., Sr isotope data for the Tertiary lavas of Northern Ireland: evidence for open system petrogenesis, 869–77, figs
Warwickshire, Pleistocene fluvial deposits and Wolston glacial sequence, 221–33
WATERS, C.N., GLOVER, B.W. & POWELL, J.H., structural synthesis of S Staffordshire, UK: implications for the Variscan evolution of the Pennine Basin, 697–713, figs
WATERS, D.J., *see* SEARLE, M.P.
WATERWORTH, J.S., *see* MEADOWS, P.S.
wave-dominated sedimentation and regression, Great Limestone Cyclothem, Stainmore, UK, 681–95
Welsh Borderland, Silurian basin slope sedimentation and mass movement, 27–40
WENDT, J.I., KRÖNER, A., FIALA, J. & TODT, W., U-Pb zircon and Sm-Nd dating of Moldanubian *HP/HT* granulites from South Bohemia, Czech Republic, 83–90, figs
WHITAKER, J.H., McD., Silurian basin slope sedimentation and mass movement in the Wigmore Rolls area, central Welsh Borderland, 27–40, figs
WHITMARSH, R.B., *see* MASSON, D.G.
WIEDMANN, J., *see* GIBLING, M.R.
Wigmore Rolls area, Welsh Borderland, basin slope sedimentation in Silurian, 27–40
WIGNALL, P.B. & PICKERING, K.T., on palaeoecology and sedimentology across a Jurassic fault scarp, NE Scotland [reply to discussion], 729–31, fig
WILKINSON, I.P., *see* STOKER, M.S.
WILLIAM SMITH MEDAL presented to Z.R. BEYDOUN, 577; W. SMITH FUND presented to A.M. ROBERTS, 578
WILLIAMS, A.C., *see* ANDERSON, T.T.
WILLIAMS, A.J., *see* MACDONALD, R.
WILLIAMS, D.M., HARKIN, J., ARMSTRONG H.A. & HIGGS, K.T., a

late Caledonian melange in Ireland: implications for tectonic models, 307–14, figs
Windermere Supergroup, NW England, Sm–Nd isotopes and sedimentary provenance, 1017–21
WIPFLER, E., *see* SCHANDELMEIER, H.
WOLLASTON MEDAL presented to W.J. MORGAN, 577; W. FUND presented to E.H. RUTTER, 578
wollastonite-bearing assemblages, metasomatism and fluid infiltration in marbles, Australia, 583–6
Wolston glacial sequence, and M Pleistocene fluvial deposits, Warwickshire, 221–33
Wolstonian Stage, type section revised, 221–33
WORTHING, M.A., *see* EL-SHAZLY, A.K.
WRIGHT, V.P. & SANDLER, A., a hydrogeological model for the early diagenesis of Late Triassic alluvial sediments [Special], 877–900, figs
Yako Member, of Nabu Formation, Tertiary, Fiji, arc volcaniclastics, 508–9
Yilgarn Craton, Australia, Neoproterozoic deformation in, 901–4
YOUNG, B.N., PARSONS, I. & THREADGOULD, R., carbonatite near the Loch Borralan intrusion, Assynt, 945–54
ZAGORCEV, I.S., on a major Oligocene–Miocene detachment in southern Rhodope controlling north Aegean extension [discussion of: SOKOUTIS, *et al.*], 413–5
ZELAZNIEWICZ, A. & FRANKE, W., on U–Pb ages from SW Poland: evidence for a Caledonian suture zone between Baltica and Gondwana [discussion of: OLIVER, CORFU & KROGH], 1049–55